

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	25670	(dataset or data-set or (data adj set)) and points!	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/09/11 08:58
2	BRS	L2	10	(dataset or data-set or (data adj set)) same points! same string same compar\$6	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/09/11 08:48
3	BRS	L3	3569	(dataset or data-set or (data adj set)) and points! and string and compar\$6	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/09/11 08:49
4	BRS	L4	53	3 and 707/6.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/09/11 08:50
5	BRS	L5	2	4 and (dataset or data-set or (data adj set)) same (string near6 compar\$6)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/09/11 08:50

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	57	(dataset or data-set or (data adj set)) same (string near6 compar\$6)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/09/11 08:59
7	BRS	L7	4	6 and 707/6.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/09/11 08:51
8	BRS	L8	19	6 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/09/11 08:55
9	BRS	L9	1	8 and (point or map) near6 plane	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/09/11 08:52
10	BRS	L10	1	8 and (point or map) same plane	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/09/11 08:59

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L11	1	8 and plane	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:53
12	BRS	L12	15248	model\$5 near6 technique	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:54
13	BRS	L13	23935	1 and 12s	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:54
14	BRS	L14	1563	1 and 12	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:54
15	BRS	L15	97	14 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:56

	Type	L #	Hits	Search Text	DBs	Time Stamp
16	BRS	L16	12	14 and 707/6.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 09:02
17	BRS	L17	2	16 and plane	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:57
18	BRS	L18	0	17 and sequence	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:57
19	BRS	L19	5	16 and sequence	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:58
20	BRS	L20	14723	1 and sequence	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:58

	Type	L #	Hits	Search Text	DBs	Time Stamp
21	BRS	L21	518	20 and large adj (dataset or data-set or (data adj set))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 09:10
22	BRS	L22	518	21 and sequence	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 09:00
23	BRS	L23	142	22 and (point or map) same plane	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:59
24	BRS	L24	1	23 and 707/6.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 09:00
25	BRS	L25	322	1 and (string near4 compar\$6)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 09:00

	Type	L #	Hits	Search Text	DBs	Time Stamp
26	BRS	L26	14	25 and 707/6.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 09:00
27	BRS	L27	43401	"261" and (sequence or (target adj string))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 09:01
28	BRS	L28	13	26 and (sequence or (target adj string))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 09:05
29	BRS	L29	1012	707/6.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 09:02
30	BRS	L30	34	29 and DNA	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 09:03

	Type	L #	Hits	Search Text	DBs	Time Stamp
31	BRS	L31	21	30 and compar\$8 and point and string	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 09:04
32	BRS	L32	0	31 and map and plane	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 09:04
33	BRS	L33	10	31 and compar\$8 near3 string	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 09:05
34	BRS	L34	9	33 and (sequence or (target adj string))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 09:05
35	BRS	L35	0	34 and large adj (dataset or data-set or (data adj set))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 09:10

	Type	L #	Hits	Search Text	DBs	Time Stamp
36	BRS	L36	2	34 and (dataset or data-set or (data adj set))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 09:10



	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	83263	dna near9 sequence	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 07:55
2	BRS	L2	5	1 and infinite adj6 points!	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 07:56
3	BRS	L3	323	1 and infinite and points!	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 07:56
4	BRS	L4	14	1 and infinite same points!	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 07:58
5	BRS	L5	3	1 and mandelbrot	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 07:59

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	128	mandelbrot	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 07:59
7	BRS	L7	2	mandelbrot.in.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 07:59
8	BRS	L8	16	6 and sequence same points!	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:03
9	BRS	L9	47	6 and sequence and points!	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:03
10	BRS	L10	2	9 and compar\$6 adj string	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:03

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L11	8	1 and compar\$6 adj string	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:04
12	BRS	L12	357	compar\$6 adj string and sequence	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:11
13	BRS	L13	69	12 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:10
14	BRS	L14	7	13 and (creat\$6 or generat\$6 or construct\$6) near9 (compar\$6 adj string) and sequence	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:32
15	BRS	L15	55	shannon adj entropy	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:07

	Type	L #	Hits	Search Text	DBs	Time Stamp
16	BRS	L16	10	15 and point and map and image	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:31
17	BRS	L17	12	15 and point same (map or plane)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:09
18	BRS	L18	1	15 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:19
19	BRS	L19	1	15 and (compar\$6 adj string) and sequence	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:29
20	BRS	L20	1	15 and (compar\$6 adj string)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:11

	Type	L #	Hits	Search Text	DBs	Time Stamp
21	BRS	L21	2	15 and (compar\$6 near9 string)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:12
22	BRS	L22	8209	(compar\$6 near9 string)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:17
23	BRS	L23	216	1 and 22	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:12
24	BRS	L24	165	23 and sequence and point	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:12
25	BRS	L25	37	24 and point and map and image	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:12

	Type	L #	Hits	Search Text	DBs	Time Stamp
26	BRS	L26	9	1 same (compar\$6 near9 string)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:18
27	BRS	L27	216	1 and (compar\$6 near9 string)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:18
28	BRS	L28	44	27 and iterat\$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:19
29	BRS	L29	13	28 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:20
30	BRS	L30	1	29 and point and plane	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:20

	Type	L #	Hits	Search Text	DBs	Time Stamp
31	BRS	L31	13	29 and point	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:20
32	BRS	L32	1	29 and point near set	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:20
33	BRS	L33	19	27 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:21
34	BRS	L34	1	33 and point near set	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:21
35	BRS	L35	437	1 and point near set	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:22

	Type	L #	Hits	Search Text	DBs	Time Stamp
36	BRS	L36	5	35 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:23
37	BRS	L37	361	1 and set adj point	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:23
38	BRS	L38	1	37 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:27
39	BRS	L39	45092	set adj point	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:24
40	BRS	L40	110	39 and (datasets! or data-sets! or (data adj sets!)) same sequence	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:24



	Type	L #	Hits	Search Text	DBs	Time Stamp
41	BRS	L41	1	40 and (compar\$6 adj string)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/09/11 08:27
42	BRS	L42	6	40 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/09/11 08:29
43	BRS	L43	3	42 and plane	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/09/11 08:28
44	BRS	L44	53	(compar\$6 adj string) same sequence	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/09/11 08:30
45	BRS	L45	10	44 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/09/11 08:30

	Type	L #	Hits	Search Text	DBs	Time Stamp
46	BRS	L46	357	(compar\$6 adj string) and sequence	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:30
47	BRS	L47	69	46 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:32
48	BRS	L48	14	47 and point and map and image	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:31
49	BRS	L49	25	(creat\$6 or generat\$6 or construct\$6) near9 (compar\$6 adj string) and sequence	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:33
50	BRS	L50	7	49 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:36

	Type	L #	Hits	Search Text	DBs	Time Stamp
51	BRS	L51	17	(creat\$6 or generat\$6 or construct\$6) near4 (compar\$6 adj string) and sequence	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:34
52	BRS	L52	2	(creat\$6 or generat\$6 or construct\$6) near4 (compar\$6 adj string) and (sequence and DNA)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:35
53	BRS	L53	1	50 and (creat\$6 or generat\$6 or construct\$6) near4 (compar\$6 adj string) and (sequence and DNA)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:35
54	BRS	L54	2	(creat\$6 or generat\$6 or construct\$6) near4 (compar\$6 adj string) and (sequence and DNA)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:37
55	BRS	L55	1	54 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:36

	Type	L #	Hits	Search Text	DBs	Time Stamp
56	BRS	L56	2	(creat\$6 or generat\$6 or construct\$6) near9 (compar\$6 adj string) and (sequence and DNA)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:37
57	BRS	L57	2	(creat\$6 or generat\$6 or construct\$6)with (compar\$6 adj string) and (sequence and DNA)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:37
58	BRS	L58	2	(creat\$6 or generat\$6 or construct\$6) with (compar\$6 adj string) and (sequence and DNA)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:37
59	BRS	L59	2	((creat\$6 or generat\$6 or construct\$6) with (compar\$6 adj string)) and (sequence and DNA)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:38
60	BRS	L60	11	(compar\$6 adj string) and (sequence and DNA)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 08:38

# **Assignment Data Not Available**

**For Application Number: 09766247**

Search Results as of: 9/11/2003 8:45:54 A.M.

---

If you have any comments or questions concerning the data displayed, contact OPR / Assignments at 703-308-9723  
Web interface last modified: Oct. 5, 2002

	Type	L #	ts	Search Text	DBs	Time Stamp
1	BRS	L1	1012	707/6.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 13:52
2	BRS	L2	30	1 and compar\$6 with (dataset or data-set or (data adj set))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 11:55
3	BRS	L3	31	1 and ((generat\$6 or creat\$6 or construct\$6) near9 (string)) same compar\$6	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 13:42
4	BRS	L4	24	1 and ((generat\$6 or creat\$6 or construct\$6) near4 (string)) same compar\$6	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 13:44
5	BRS	L5	17	1 and ((generat\$6 or creat\$6 or construct\$6) near2 (string)) same compar\$6	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/11 13:48

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	990	((generat\$6 or creat\$6 or construct\$6) near2 (string)) same compar\$6	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/09/11 13:49
7	BRS	L8	104	6 and ((target adj string) or (DNA adj sequence) or DAN or sequence) with compar\$8	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/09/11 13:50
8	BRS	L9	134	6 and ((target adj string) or (DNA adj sequence) or DNA or sequence) with compar\$8	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/09/11 13:51
9	BRS	L10	100	6 and ((target adj string) or (DNA adj sequence) or DNA or sequence) near9 compar\$8	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/09/11 13:51
10	BRS	L11	22	10 and 707/.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/09/11 13:54

	Type	L #	hits	Search Text	DBs	Time Stamp
11	BRS	L12	14	11 and (iterat\$6 or loop\$5 or repeat\$6)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/09/11 14:21
12	BRS	L13	9	11 and (iterat\$6 or loop\$5 or repeat\$6) with algorithm	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/09/11 14:31